Printing date 06.10.2014 Revision: 06.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Pinewood Aroma

· Article number: 60038

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: For perfumes
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Medisana AG

Jagenbergstr. 19, 41468 Neuss Tel: +49 (0)2131-3668-0 Email: info@medisana.de

Only Representative / other EU contact point:

Eva Schwarz Medisana AG

Jagenbergstr. 19, 41468 Neuss Tel: +49 (0)2131-3668-0

- · Further information obtainable from: Medisana AG
- · 1.4 Emergency telephone number:

GERMANY

Clinical Toxicology and Berlin Poison Information Centre

Tel: +49 030 19240

· 1.5 Reference Number: HKIEQ14-00146, HKHC140900003174-102

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.

· Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 1)

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Sensitising

R43: May cause sensitisation by skin contact.



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Directive 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC.

· Classification system:

The classification is according to the EU Directive 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS07 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

dipentene

(R)-p-mentha-1,8-diene

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

- EI

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of substances listed below with nonhazardous additions. For the wording of the listed risk phrases refer to section 16.

Hazardous componen		
CAS: 25265-71-8	oxydipropanol	20,0%
EINECS: 246-770-3	substance with a Community workplace exposure limit	
CAS: 10482-56-1	p-menth-1-en-8-ol	8,0%
EINECS: 233-986-8	X Xi R36/38	
	🕔 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 138-86-3	dipentene	7,0%
EINECS: 205-341-0	Xi R38; Xi R43; № N R50/53	
Index number: 601-02	9-00-7 R10	
	Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	2,0%
EINECS: 227-813-5	Xi R38; Xi R43; № N R50/53	·
Index number: 601-02	9-00-7 RIO	
	🏇 Flam. Liq. 3, H226; 🕸 Aquatic Acute 1, H400; Aquatic Chronic	
	1, H410; 🐧 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 470-82-6	cineole	2,0%
EINECS: 207-431-5	★ Xi R37/38-41	
	\overline{RIO}	
	♠ Flam. Liq. 3, H226; ♠ Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 80-56-8	pin-2(3)-ene	1,0%
EINECS: 201-291-9	R10	
	♠ Flam. Liq. 3, H226	
CAS: 126-73-8	tributyl phosphate	0,05%
EINECS: 204-800-2	X Xn R22-40; X Xi R38	
Index number: 015-01	L	
	🗞 Carc. 2, H351; 🕠 Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 532-32-1	sodium benzoate	0,1%
EINECS: 208-534-8	🗶 Xi R36	
	! Eye Irrit. 2, H319	
Non-hazardous compe	onents:	
CAS: 9005-67-8	orbitan monostearate, ethoxylated	20,0%
CAS: 7732-18-5 water, distilled, conductivity or of similar purity		39,85%
EINECS: 231-791-2		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 3)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use Personal Protective equipment recommended in section 8.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	· Ingredients	with limit	values	that require	monitoring	at the workplac
--	---------------	------------	--------	--------------	------------	-----------------

25265-71-8 oxydipropanol (20%)

AGW (Germany) Long-term value: 100 E mg/m³

2(II);DFG, H, Y, 11

(Contd. on page 5)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

	(Contd. of page 4)
138-86-3 dipentene (7%)
MAK (Germany)	vgl.Abschn.IIb
5989-27-5 (R)-p-men	tha-1,8-diene (2%)
AGW (Germany)	Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y
126-73-8 tributyl pho	psphate (0,05%)
WEL (Great Britain)	Short-term value: 5 mg/m³ Long-term value: 5 mg/m³
AGW (Germany)	Long-term value: 11 mg/m³, 1 ppm 2 (II);DFG, Y, H, 11
VME (France)	Long-term value: 2,5 mg/m³, 0,2 ppm C2

- · DNELs not available
- · PNECs not available
- · Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

· Appropiate engineering controls

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

See section 7 for information about design of technical facilities.

· Personal protective equipment:

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 5)

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Oily Liquid	
Colour:	Colourless	
· Odour:	Pinewood	
· Odour threshold:	Not available	
· pH-value:	Not available	
· Change in condition		
Melting point/Melting range:	Not available	
Boiling point/Boiling range:	Not available	
· Freezing point:	Not available	
· Flash point:	Not available	
· Flammability (solid, gaseous):	Not available	
· Auto-ignition temperature:	Not available	
Decomposition temperature:	Not available	
· Self-igniting:	Not available	
· Explosive properties:	Not available	
· Explosion limits:		
Lower:	Not available	
Upper:	Not available	
· Oxidizing properties:	Not available	
· Vapour pressure:	Not available	
· Density:	Not available	
Relative density:	Not available	
· Vapour density:	Not available	
· Evaporation rate:	Not available	
· Solubility in / Miscibility with		
water:	Not available	
· Partition coefficient (n-octanol/wat	ter): Not available	
· Viscosity:		
Dynamic:	Not available	
Kinematic:	Not available	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No decomposition if used according to specifications.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 6)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

470-82-6 cineole

Oral LD50 2480 mg/kg (rat)

126-73-8 tributyl phosphate

Oral LD50 3000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritating effect possible
- · on the eye: Irritating effect possible
- · Sensitisation: Sensitization possible through skin contact in some sensitive individuals
- · Additional toxicological information:

The product shows the following dangers according to the calculation method based on the EU Directives 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC:

Irritant

- · Toxicokinetics, metabolism and distribution Not available
- · Acute effects (acute toxicity, irritation and corrosivity) Not available
- · Repeated dose toxicity Not available

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Remark: Toxic for fish
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Revision: 06.10.2014 Printing date 06.10.2014

Trade name: Pinewood Aroma

 $(Contd.\ of\ page\ 7)$

- Uncleaned packaging:
 Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number	
ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (DIPENTENE
	DIPENTENE), ENVIRONMENTALLY HAZARDOUS
· IMDG	FLAMMABLE LIQUID, N.O.S. (DIPENTENE
· IATA	DIPENTENE), MARINE POLLUTANT
·IAIA	FLAMMABLE LIQUID, N.O.S. (DIPENTENE DIPENTENE)
14.3 Transport hazard class(es)	,
· ADR, IMDG	
AL.	
1 2	
· Class	3 Flammable liquids.
· Label	3
· IATA	
3	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substance
	dipentene
· Marine pollutant:	Yes
Special marking (ADD).	Symbol (fish and tree) Symbol (fish and tree)
Special marking (ADR):	
14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler): · EMS Number:	30 F-E,S-E
	_
· 14.7 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I I of Not applicable.
· 14.8 Transport/Additional information:	11
· ADR	
· ADK · Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
m	Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code:	3 D/E
. LUNNAL PASTRICTION CODA!	D/F.

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

	(Contd. of page 8
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN1993, FLAMMABLE LIQUID, N.O.S. (DIPENTENE, DIPENTENE), ENVIRONMENTALLY HAZARDOUS, 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration)

126-73-8 tributyl phosphate

4

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/6/2014)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (8/5/2014)

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List (14/8/2014)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- · Relevant phrases
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R36/38 Irritating to eyes and skin.
- R37/38 Irritating to respiratory system and skin.
- R38 Irritating to skin.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to eyes.
- *R43* May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC

(Contd. on page 10)

Printing date 06.10.2014 Revision: 06.10.2014

Trade name: Pinewood Aroma

(Contd. of page 9)

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

 ${\it Skin Irrit.~2: Skin corrosion/irritation, Hazard~Category~2}$

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

End of document

EU